

WikiConv: A Corpus of the Complete Conversational History of a Large Online Collaborative Community

Yiqing Hua

Cornell Tech

yiqing@cs.cornell.edu

Cristian Danescu-Niculescu-Mizil

Cornell University

cristian@cs.cornell.edu

Dario Taraborelli

Wikimedia Foundation

dtaraborelli@wikimedia.org

Nithum Thain and Jeffery Sorensen and Lucas Dixon

Jigsaw, Google

nthain, sorenj, ldixon@google.com

Abstract

We present a corpus that encompasses the complete history of conversations between contributors to Wikipedia, one of the largest online collaborative communities. By recording the intermediate states of conversations—including not only comments and replies, but also their modifications, deletions and restorations—this data offers an unprecedented view of online conversation. This level of detail supports new research questions pertaining to the process (and challenges) of large-scale online collaboration. We illustrate the corpus’ potential with two case studies that highlight new perspectives on earlier work. First, we explore how a person’s conversational behavior depends on how they relate to the discussion’s venue. Second, we show that community moderation of toxic behavior happens at a higher rate than previously estimated. Finally the reconstruction framework is designed to be language agnostic, and we show that it can extract high quality conversational data in both Chinese and English.

1 Introduction

Compared to large-scale collections of conversations from social media (Felbo et al., 2017; Luo et al., 2012; Zhang et al., 2017; Tan et al., 2016) or news comments (Napoles et al., 2017), Wikipedia talk pages offer a unique perspective into goal-oriented discussions between thousands of volunteer contributors coordinating to write the largest online encyclopedia. Talk page data

already underpins research on social phenomena such as conversational behavior (Danescu-Niculescu-Mizil et al., 2012, 2013), disputes (Wang and Cardie, 2014b), antisocial behavior (Wulczyn et al., 2017; Zhang et al., 2018) and collaboration (Kittur et al., 2007; Halfaker et al., 2009). However, the scope of such studies has so far been limited by a view of the conversation that is incomplete in two crucial ways: first, it only captures a subset of all discussions; and second, it only accounts for the final form of each conversation, which frequently differs from the interlocutors experience as the conversation develops.

In this paper, we undertake the challenge of reconstructing a complete and structured history of the conversational process in Wikipedia talk pages, containing detailed information about all the interlocutors’ actions, such as adding and replying to comments, modifying or deleting them. To this end, we devise a methodology for identifying and structuring these actions, while also addressing the challenges spurring from the inconsistent formatting and the raw scale of existing records. This results in the largest public dataset of goal-oriented conversations, *WikiConv*, spanning five languages. The largest component of this dataset is based on the English Wikipedia, and contains roughly 91 million conversations consisting of 212 million conversational actions taking place in 24 million talk pages.

By including details about how each conversation evolved, this corpus provides an unprecedented view into the conversational process, as ex-

perienced by the interlocutors. In fact, we find that about 40% of discussion activity would be missed by approaches that do not consider comment modifications and deletions, and even more is missed when only considering the (final) static snapshots of conversations. Furthermore, a manual review of the English Wikipedia portion of the dataset reveals that 98% of the reply structure is recovered correctly and 98% of the interlocutor’s actions are categorized correctly.

Since the reconstruction pipeline does not rely on any language specific heuristics, we also apply it to Chinese, German, Greek and Russian Wikipedia Talk page archives, in addition to those from English Wikipedia. A manual review of the conversations obtained from the Chinese Wikipedia Talk pages shows a similarly high reconstruction accuracy with that obtained from the English Wikipedia, suggesting that it is reasonable to apply the reconstruction pipeline to different languages. To encourage further validation, refinements and updates, we have open sourced the code and published the datasets.¹

Finally, we present two case studies illustrating how the corpus can bring new insights into previously observed phenomena. We first analyze the conversational behavior of a subset of English Wikipedia contributors across the entire range of talk pages, and show that their levels of linguistic coordination vary according to where the conversation takes place. Second, we investigate the toxicity of deleted comments, and show that community moderation of undesired behavior takes place at a much higher rate than previously estimated.

2 Further Related Work

Past efforts aimed at characterizing conversations on Wikipedia talk pages have either focused on snapshots of discussion threads (Danescu-Niculescu-Mizil et al., 2012; Prabhakaran and Rambow, 2016; Wang and Cardie, 2014b,a), or have considered text segments in talk page history as incremental comments, ignoring conversational turns and reply structures within these conversations (Wulczyn et al., 2017). The limitations of these approaches can be seen in Figure 2, where, if we limit our analysis to only a snapshot of the final state of the conversation, we miss the abusive comment introduced in revision 3 and removed in

¹<https://github.com/conversationai/wikidetox/tree/master/wikiconv>

revision 4, and thus miss an important part of the experience of the participants. In fact, this “hidden” activity accounts for one third of all actions taken on talk pages in English Wikipedia.

The closest dataset to our work is Bender et al. (2011) which introduces the Authority and Alignment in Wikipedia discussions corpus (AAWD), containing 365 talk page discussions. While acknowledging the complexity of conversational behaviors on Wikipedia talk pages, the AAWD work falls short of providing data on the deletions and follow-up changes to existing comments. Beyond addressing this shortcoming, the dataset we introduce in this paper is many orders of magnitude larger, containing 91 million conversations in English Wikipedia alone.

Wiki text	Rendered talk page
<pre> == Soup == How's the soup? -- [[User:Example Bob]] 18:07, 26 August 1991 (UTC) : It's great!! -- [[User:Example Simon]] 11:21, 28 August 1991 (UTC) :: I made it myself! -- [[User:Example Bob]] 14:11, 3 September 1991 (UTC) I think the soup-discussion should be moved to [[Talk:Soup]].. -- [[User:Example Lisa]] 21:55, 3 September 1991 (UTC) </pre>	

Figure 1: An example of Wiki markup and its rendered form from Wikipedia Talk Page Help.²

3 Conversation Reconstruction

Technically, comments are added to Wikipedia talk pages the same way content is added to article pages: contributors simply edit the mark-down of any part of the talk page without relying on any functionality specialized for structuring the conversations. Figure 1 gives an example of the discussion interface and the resulting rendered conversation. Each edit results in a revision of the whole page that is permanently stored in a public historical record.³ Because conversations on Wikipedia have no ‘official’ underlying structure, and instead are organized using indentation markup and other ad hoc visual cues, computational heuristics are necessary to interpret conversational structure.

²mediawiki.org/wiki/Help:Talk_pages

³In some rare cases revisions are deleted, for example, if personal information is accidentally written into a page.




Figure 2: **Example conversation reconstruction.** The action id in the ReplyTo column defines the conversation’s structure; The Parent column indicates history, showing how actions change earlier actions. Note that each revision (color-coded) can introduce multiple actions.

<i>English Wikipedia</i>				Reconstruction Accuracy by Action Type			
Number of	Action Type Breakdown			Boundary	Type	ReplyTo	Parent
Distinct users	4.4M	Creation	21%	100%	100%	100%	100%
Talk Pages	24M	Addition	39%	96%	100%	95%	100%
Revisions	120M	Modification	13%	97%	95%	97%	95%
Conversations	91M	Deletion	24%	94%	96%	100%	100%
Actions	212M	Restoration	3%	84%	98%	100%	99%
All actions:				96%	98%	98%	99%
<i>Chinese Wikipedia</i>				Reconstruction Accuracy by Action Type			
Number of	Action Type Breakdown			Boundary	Type	ReplyTo	Parent
Distinct users	87K	Creation	22%	100%	100%	100%	100%
Talk Pages	2.2M	Addition	50%	96%	100%	100%	100%
Revisions	4.6M	Modification	9%	84%	94%	99%	97%
Conversations	4.4M	Deletion	16%	99%	90%	100%	98%
Actions	6.4M	Restoration	3%	97%	98%	100%	98%
All actions:				96%	98%	99%	99%

Table 1: **Summary statistics and reconstruction accuracy for the English and Chinese Wikipedia talk page corpora.** These statistics exclude actions that result in empty content after markup cleaning (e.g., purely formatting edits).

Actions. We model the conversational structure of interactions as a graph of *actions*, as illustrated in Figure 2. Actions are categorized into five *types*:

- *Creation*: A conversation thread is started by adding a markup section heading (e.g., Action 1 in Figure 2).
- *Addition*: A new comment is added to a thread (e.g., Actions 2 and 3).
- *Modification*: An existing comment is modified (e.g., Action 5); the Parent-id indicates the original comment.
- *Deletion*: A comment or thread-heading is being removed (e.g., Action 4); Parent-id specifies the comment or thread-heading’s most recent action.

- *Restoration*: A deletion is being reverted, returning to the state indicated by the Parent-id.

All action types except thread creations, thread deletions and thread restorations also include a ReplyTo-id indicating the target of the reply.

From Page Revisions to Actions. Our reconstruction pipeline is a Python program written for Google Cloud Dataflow (also known as Apache Beam)⁴ that operates on pages in parallel and on the revisions of each page sequentially in temporal order.

Due to the large scale of Wikipedia data, we use external sorting for pages that contains too many

⁴<https://cloud.google.com/dataflow/>

revisions to fit in a Dataflow worker’s memory. When the number of revisions is too large for a Dataflow worker’s local disk, the computation is performed in stages, a few years at a time.

Given the sorted set of a page-revisions, token-level diffs between sequential revisions are computed using a longest common sequence (LCS) algorithm.⁵ Each sequential diff is then decomposed into the set of atomic conversation *actions* attributed to the user who submitted the page revision. During the sequential processing of a page’s revisions, two data structures are maintained: each comment’s current character offset, and a list of deleted comments. The comment offsets are used to interpret the difference between modification actions (edits within the bounds of an existing action) and additions; the deleted comments are used to identify restoration of comments.

We store the most recent 100 deleted comments between 10 to 1000 characters long, for each page. This is used to compute when a comment is restored by looking up deleted comments in a trie. The token length lower bound parameter avoids short commonly added comments—like “Thanks!”—from being interpreted as restorations. The upper bound ensures that occasional very long deleted comments are skipped, to bound Dataflow workers’ memory usage.

Finally, reconstructed actions are processed using *mwparsersfromhell*⁶ to clean the MediaWiki formatting. Note that, since arbitrary page changes are allowed, some actions cannot be processed by the parser (about 1 in 200,000); in such cases, an action’s raw MediaWiki markup is stored.

Table 1 shows summary statistics of the final dataset on English and Chinese Wikipedia. The version of the raw data dumps processed were retrieved on July 1st 2018.

4 Evaluation of Reconstruction Quality

We evaluate the quality of the automatic reconstruction by manually verifying a randomly drawn subset of (at least) 100 examples from each action category. For each action we verify the accuracy of (1) the assigned action type, (2) the token-level boundary of the comment, (3) the ReplyTo relation and (4) the action’s Parent relation.

We conduct the evaluation for both English and Chinese data (Table 1). With over 98% of actions

classified correctly in both languages, the dataset exhibits a high annotation quality given its scale and detail. From the error cases in the English data, 10% result from limitations in the current technologies for HTML parsing and LCS matching. User behavior that we could interpret but is not yet captured by our algorithm, such as moving ongoing conversations to another talk pages accounts for another 24%. The remaining errors were from edits that we were unable to interpret. By open sourcing the reconstruction code, we encourage further refinements.

5 Case Studies

We now briefly present two studies on English Wikipedia that highlight the importance of (1) collecting the full history of Wikipedia across all pages and (2) capturing the various types of interactions.

Linguistic Coordination. Danescu-Niculescu-Mizil et al. (2012) studied language coordinations (i.e., in a conversation between *a* and *b*, to what degree is *b* systematically adopting *a*’s language patterns when replying to *a*) on a conversational corpus derived from 5,657 *User Talk pages*: those associated with, and managed by, a specific user. The study showed that social status mediates the amount of linguistic coordination, with contributors imitating more the linguistic style of those with higher status in the community.

We now show that the coordination pattern of the page owners in the previous dataset differs significantly based on where the conversation takes place. We compare each contributor’s coordination patterns on their own user talk page to patterns exhibited on talk pages of other contributors, as well as to those on article talk pages—talk pages associated with a Wikipedia article. To avoid confounding different populations (and fall into the trap of Simpson’s paradox), we only include in the comparison users that had a sufficient amount of contributions across all three venues. Figure 3 shows the three aggregated coordination values computed by applying the methodology of the original paper on 4 million addition actions that occurred before 2012.

Our results show with significant difference ($p < 0.001$ calculated by one-way ANOVA) that contributors coordinate the least when replying on other users’ talk pages, and most on their own talk page. This leads us to speculate a new hypothesis:

⁵github.com/google/diff-match-patch

⁶github.com/earwig/mwparsersfromhell




Figure 3: **(Left) Linguistic coordination depends on the discussion’s venue.** Error bars are estimated by bootstrap resampling. **(Right) Deletion rate of content over varying time periods.**

contributors have a different perception of status or respect on their own page than on others. Such questions, which require more thorough investigation that depends on observing how contributors interact across different discussion venues, can be studied using the WikiConv corpus.

Moderation of toxic behavior. Wulczyn et al. (2017) measured prevalence of personal attacks in a Wikipedia talk page corpus, and evaluated the fraction of attacks that moderators follow up on with a block or warning (17.9%). However, because there was no structured history of comment deletion, the authors were unable to measure the rate at which toxic comments are moderated through deletion. Using the more complete datasets provided by WikiConv we show that the fraction of problematic comments moderated by Wikipedians is significantly higher than their initial estimate suggests.

We used the Perspective API⁷ to score the toxicity of all addition and creation actions (which we refer to as “comments” here).⁸ Each comment is further classified as toxic or non-toxic according to the equal error rate threshold, following the methodology of (Wulczyn et al., 2017), where false positives are offset by false negatives. The threshold is calculated by on the human labels in the Kaggle Toxicity dataset of Wikipedia comments.⁹ Classification at this threshold yields 86% precision and 84% recall.

We used the same method to labeled comments with the *severe toxic* model. Figure 3 shows the fraction of comments deleted by Wikipedians who are not the author of the comment for different lengths of time; distinguishing between comments labeled as toxic, severely toxic, and the back-

ground distribution. The key observations here are that nearly 33% of toxic comments are removed within a day; and over 82% of severely toxic comments are deleted within a day. This complements results previously reported by Wulczyn et al. (2017), accounting for an additional type of community moderation that is revealed using the detailed information about the history of the conversation provided by our corpus.

6 Conclusion and Future Work

We introduced a pipeline that extracts the complete conversational history of Wikipedia talk pages at a level of detail that was not previously available. We applied this pipeline to Wikipedia in multiple languages and evaluated its quality on the English and Chinese Talk page corpora, obtaining a high reconstruction accuracy for both the Chinese and English datasets (98%). This level of detail and completeness opens avenues for new research, as well as for revisiting and extending existing work on online conversational and collaboration behavior. For example, while in our use cases we have focused on contributors deleting toxic comments, one could seek to understand why and when an editor is deleting or rewording their own comments. Beyond refining the heuristics and parsing methods used in our reconstruction pipeline, and reducing the time to update the corpus, a remaining challenge is to capture conversations that happen across page boundaries.

7 Acknowledgement

We thank Thomas Ristenpart, Andreas Veit for proof reading; Ben Vitale for many helpful discussions on building the pipeline; and Jonathan P. Chang for reporting data issues and discussing the challenges throughout. This project is supported in part by NSF grant CNS-1558500.

⁷<https://www.perspectiveapi.com>

⁸We release the scores with the dataset.

⁹The Jigsaw Toxicity Kaggle Competition: goo.gl/N6UGPK

References

- Emily M Bender, Jonathan T Morgan, Meghan Oxley, Mark Zachry, Brian Hutchinson, Alex Marin, Bin Zhang, and Mari Ostendorf. 2011. Annotating social acts: Authority claims and alignment moves in Wikipedia talk pages. In *Proceedings of the Workshop on Languages in Social Media*.
- Cristian Danescu-Niculescu-Mizil, Lillian Lee, Bo Pang, and Jon Kleinberg. 2012. Echoes of power: Language effects and power differences in social interaction. In *Proceedings of WWW*.
- Cristian Danescu-Niculescu-Mizil, Moritz Sudhof, Dan Jurafsky, Jure Leskovec, and Christopher Potts. 2013. A computational approach to politeness with application to social factors. In *Proceedings of ACL*.
- Bjarke Felbo, Alan Mislove, Anders Søgaard, Iyad Rahwan, and Sune Lehmann. 2017. Using millions of emoji occurrences to learn any-domain representations for detecting sentiment, emotion and sarcasm. In *Proceedings of EMNLP*.
- Aaron Halfaker, Aniket Kittur, Robert Kraut, and John Riedl. 2009. A jury of your peers: quality, experience and ownership in Wikipedia. In *Proceedings of the 5th International Symposium on Wikis and Open Collaboration*.
- Aniket Kittur, Bongwon Suh, Bryan A Pendleton, and Ed H Chi. 2007. He says, she says: Conflict and coordination in Wikipedia. In *Proceedings of the SIGCHI conference on Human factors in computing systems*.
- Zhunchen Luo, Miles Osborne, and Ting Wang. 2012. Opinion retrieval in Twitter. In *Proceedings of ICWSM*.
- Courtney Napoles, Joel Tetreault, Aasish Pappu, Enrica Rosato, and Brian Provenzale. 2017. Finding good conversations online: The Yahoo news annotated comments corpus. In *Proceedings of the 11th Linguistic Annotation Workshop*.
- Vinodkumar Prabhakaran and Owen Rambow. 2016. A corpus of wikipedia discussions: Over the years, with topic, power and gender labels. In *Proceedings of LREC*.
- Chenhao Tan, Vlad Niculae, Cristian Danescu-Niculescu-Mizil, and Lillian Lee. 2016. Winning arguments: Interaction dynamics and persuasion strategies in good-faith online discussions. In *Proceedings of WWW*.
- Lu Wang and Claire Cardie. 2014a. Improving agreement and disagreement identification in online discussions with a socially-tuned sentiment lexicon. In *Proceedings of the Workshop on Computational Approaches to Subjectivity, Sentiment and Social Media Analysis*.
- Lu Wang and Claire Cardie. 2014b. A piece of my mind: A sentiment analysis approach for online dispute detection. In *Proceedings of ACL*.
- Ellery Wulczyn, Nithum Thain, and Lucas Dixon. 2017. Ex machina: Personal attacks seen at scale. In *Proceedings of WWW*.
- Amy X Zhang, Bryan Culbertson, and Praveen Paritosh. 2017. Characterizing online discussion using coarse discourse sequences. In *Proceedings of ICWSM*.
- Justine Zhang, Jonathan P Chang, Cristian Danescu-Niculescu-Mizil, Lucas Dixon, Yiqing Hua, Nithum Thain, and Dario Taraborelli. 2018. Conversations gone awry: Detecting early signs of conversational failure. In *Proceedings of ACL*.